


HEADER SCHEDULE	
SPAN	SIZE
Less than 3'-0"	(2) 2 X 4
3'-0" to 4'-0"	(2) 2 X 6
4'-0" to 5'-0"	(2) 2 X 8
5'-0" to 8'-0"	(2) 2 X 10

** ALL EXTERIOR OR LOAD BEARING HEADERS SHALL BE (3) 2x10 UNLESS OTHERWISE NOTED

NOTE: NUMBER SHOWN AT BEAM AND HEADER SUPPORTS INDICATES NUMBER OF SUPPORT STUDS REQUIRED IN STUD POCKET.

ALL HATCHED / SHADED WALLS ARE LOAD BEARING.



REFER TO "60" SHEET(S) FOR STANDARD DETAILS AND STRUCTURAL NOTES.

ATTACH HEADER PER COLUMN MANUFACTURER INSTRUCTIONS (TYPICAL)

FIRST FLOOR STRUCTURAL PLAN
SCALE: 1/4"=1'-0"

Charette Architects, PLLC.
800 West Hill St.
Suite 200
Charlotte, NC 28208
Phone: (704) 358-8400

SHEET:
S-2

Lot 145, Cannonsgate
Guthrie Construction

Southern Engineers, P.A.
James H. Herman, P.E., President
3716 Benson Drive
Raleigh, North Carolina 27609
(919) 878-1617

PROJECT # 8-1460
* Engineers seal applies only to structural work. Seal does not include construction means, methods, techniques, sequences, procedures or safety precautions.
* Any deviations or discrepancies on plans are to be brought to the immediate attention of Southern Engineers. Failure to do so will void Southern Engineer's liability.
* Seal valid for projects permitted one year from date of seal.