


HEADER SCHEDULE	
SPAN	SIZE
Less than 3'-0"	(2) 2 X 4
3'-0" to 4'-0"	(2) 2 X 6
4'-0" to 5'-0"	(2) 2 X 8
5'-0" to 8'-0"	(2) 2 X 10

** ALL EXTERIOR OR LOAD BEARING HEADERS SHALL BE (3) 2x10 UNLESS OTHERWISE NOTED

NOTE: NUMBER SHOWN AT BEAM AND HEADER SUPPORTS INDICATES NUMBER OF SUPPORT STUDS REQUIRED IN STUD POCKET.

ALL HATCHED / SHADED WALLS ARE LOAD BEARING.



REFER TO '0D' SHEET(S) FOR STANDARD DETAILS AND STRUCTURAL NOTES.

PROJECT # 8-1460

Engineers seal applies only to structural components on this document. Seal does not include construction means, methods, techniques, sequences, procedures or safety precautions. Any deviations or discrepancies on plans are at the engineer's risk. Seal is void if not placed in accordance with the Engineer's liability. Seal is valid for projects permitted one year from date of seal.

Southern Engineers, P.A.
 James H. Herman, P.E., President
 3716 Benson Drive
 Raleigh, North Carolina 27609
 (919) 878-1617

Lot 145, Cannonsgate

Guthrie Construction

Charette Architects, PLLC.
 800 West Hill St.
 Suite 200
 Charlotte, NC 28208
 Phone: (704) 358-8400

SHEET:
S-3

SECOND FLOOR STRUCTURAL PLAN
 SCALE: 1/4" = 1'-0"